



**Catalog  
Industrial Product  
Cisne Microcrystal**

# Cisne Microcrystal

## Characteristics

Food grade salt, extra fine, submitted to a crystal grain size selection, iodized, with the addition of anti-humectants and anti-caking agents, attributes that give the product a high flow rate. Suitable for applications that require better adhesion and distribution of the salt in the final product.



## Technical Specification

Description	Unit.	Specification
Sodium chloride	%	Min. 99,30
(#) Iodine (Metalloid)	mg/kg	Min. 15,0 to Max. 45,0
Moisture	%	Max. 0,50
Calcium	%	Max. 0,030
Magnesium	%	Max. 0,120
Sulfates	%	Max. 0,200
Insoluble	%	Max. 0,005
pH	-	6,5 to 10,5
Sodium Ferrocyanide	mg/kg	Min. 2,0 Max. 5,0
Silicon dioxide	%	Min. 0,7 Max. 1,0

## Applications and presentation

- Alternative for the manufacture of foods with reduced sodium content.
- Manufacture of food that requires good adhesion of the salt, e.g. manufacture of snacks.



# Cisne Microcrystal

---

Product	Standard Packaging	Palletization
Cisne Microcrystal Salt	Polyethylene bags - 25kg	49x25kg= 1,225kg
	1000Kg Big Bags	

---

◆

## Benefits

- Extra-fine grain size
- Better adhesion and distribution in the final product
- Achieves the desired flavor with a lower amount of product
- Alternative to sodium reduction

